



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/620,663	07/16/2003	Jean D. Van Epps JR.	D/A2435	9567

25944 7590 11/15/2006

OLIFF & BERRIDGE, PLC
P.O. BOX 19928
ALEXANDRIA, VA 22320

EXAMINER

KORNAKOV, MICHAEL

ART UNIT	PAPER NUMBER
----------	--------------

1746

DATE MAILED: 11/15/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/620,663	Applicant(s) VAN EPPS ET AL.	
	Examiner Michael Kornakov	Art Unit 1746	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 August 2006.
 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) ☐ Claim(s) _____ is/are allowed.
 6) ☒ Claim(s) 1-11 is/are rejected.
 7) ☐ Claim(s) _____ is/are objected to.
 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some * c) ☐ None of:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Applicants' amendment dated 08/24/2006 has overcome objections to the specification and drawings and the objections are withdrawn. Claim 1 is amended emphasizing contacting the coating material on both surfaces of the drum with a one piece resilient sponge material.
2. Claims 1-11 are pending and examined on the merits.
3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
4. Claims 1-11 stand rejected under 35 U.S.C. 102(a) or under 35 U.S.C. 102(e) as being anticipated by Bush et al (U.S. 6,461,442).

Bush teaches a process for removing a strip of coating material from a hollow imaging drum by simultaneous contacting the coating material on both the inside and the outside surfaces at the first end of the drum with the one piece resilient solvent resistant foam material 12 having a vertical circular slit (Fig. 1, 3, 5; col.8, lines 10-33; col.9, lines 54-61; paragraph bridging col.9 and 10; col.10, lines 51-61). As specifically indicated, the foam material of Bush comprises the channels for escaping the solvent away from the drum. The foam also comprises the closed cells. The preferred diameter of the cell is between about 1 mm and about 3 mm. Typical width of cleaned bottom edges of the drum extends from about 0.5 mm to about 15 mm, preferably from about 3.5 mm to about 9 mm, which corresponds to the limitations of the instant claims 1-11.

Response to Arguments

5. Applicant's arguments filed 08/24/2006 have been fully considered but they are not persuasive. Applicants argue that Bush fails to disclose a process that includes simultaneous contacting the coating material on both the inside and the outside surfaces at the first end of the drum with a one-piece resilient sponge material, as being agreed during the personal interview dated 08/22/2006 and as recited in independent claim 1.

Applicants' attention is drawn to the Interview Summary, which states the following: "Applicant's representative indicated the use of one piece sponge material (foam) versus two pieces as provided by U.S.'442, which provides better cleaning results. Applicants position is well taken, however no agreement was reached". Therefore, Applicants' statement that the agreement was reached during the personal interview is apparently without merits.

Regarding the instant claim 1, upon further examination of Bush reference, it is concluded that Bush in fact teaches contacting the first end of the drum with a one piece resilient cleaning foam material, shown on Fig. 5 of Bush.

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Kornakov whose telephone number is (571) 272-1303. The examiner can normally be reached on 9:00am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr can be reached on (571) 272-1414. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michael Kornakov

Application/Control Number: 10/620,663

Page 5

Art Unit: 1746

M. KOPNAKOV

Primary Examiner
Art Unit 1746

11/11/2006